



**SÍLA
V KAŽDÉ
KAPCE!**

HL 46

200 l | A: 0557443

HV 46

200 l | A: 0557459

**ENERGY STRONG
15W40 SHPD**

200 l | A: 0237160

**ENERGY STRONG
15W40 SHPD**

20 l | A: 0237163

GL-5 LS 80W90

20 l | A: 0557340

GL-4 80W90

20 l | A: 0552358

**ENERGY STRONG
15W40 SHPD**

5 l | A: 0557478

ATF II D

1 l | A: 0205908



HYDRAULIC OIL

HYDRAULICKÝ OLEJ

HL 46

PN-EN ISO 6743-4 - skupina H (klasifikace); PN-ISO 3448 VG:22-150; PN-ISO 11158 - HL; DIN 51 524 cz.1 HL; WT/01/13/RWJ wyd.1

5 l | A: 0557443

20 l | A: 0557444

200 l | A: 0557443

HL 68

PN-EN-ISO: 6743-4; PN-ISO 3448: VG: 68; PN-ISO: 11158 HL; DIN 51 524 cz.1 HL

20 l | A: 0557447

200 l | A: 0557449

HM/HLP 32

PN-EN-ISO 6743-4 - skupina H (klasifikace); PN-ISO 3448 VG: 32; PN-ISO 11158:2012 HM; DIN 51 524 cz.2 HLP

20 l | A: 0557452

200 l | A: 0557453

HM/HLP 46

PN-EN-ISO 6743-4 - skupina H (klasifikace); PN-ISO 3448 VG: 46; PN-ISO 11158:2012 HM; DIN 51 524 cz.2 HLP

20 l | A: 0557454

200 l | A: 0557455

HV 32

PN-EN ISO: 6743-4; PN-ISO: 3448 VG: 32; PN-ISO: 11158:2012, L- HV; DIN 51 524 cz. 3 HVLP

20 l | A: 0557456

200 l | A: 0557457

HV 46

PN-EN ISO: 6743-4; PN-ISO: 3448 VG: 46; PN-ISO: 11158:2012, L- HV; DIN 51 524 cz.3 HVLP

5 l | A: 0728950

20 l | A: 0557458

200 l | A: 0557459

HV 68

PN-EN ISO: 6743-4; PN-ISO: 3448 VG: 68; PN-ISO: 11158:2012, L- HV; DIN 51 524 cz.3 HVLP

20 l | A: 0557460

200 l | A: 0557461

GEAR

-HYDRAULIC OIL

PŘEVODOVÝ HYDRAULICKÝ OLEJ

PTF 30

SAE: 30; Komatsu Dresser HMS B21-0006; Komatsu Micro-Clutch; Komatsu KES 07.868.1; Caterpillar TO-4; Allison C-4; ZF TE-ML 03C

20 l | A: 0557476

PTF SAE 10W T04

SAE: 10W; Komatsu Dresser HMS B21-0006; Komatsu Micro-Clutch; Komatsu KES 07.868.1; Caterpillar TO-4; Allison C-4; ZF TE-ML 03C

200 l | A: 0557470

UTTO 10W30

SAE: 10W30; API: GL-4; PN-ISO 11158 HV, DIN 51 524 cz.3 HVLP; John Deere J20C; Massey Ferguson CMS M1135, M1141, M1143; Ford New Holland M2C 134D (A,B,C); Ford ESN-M2C86-B, ESN-M2C86-C; ZF TE-ML 03E, 05F, 06K, 17E; CNH MAT 3526, CNH MAT 3525; Case New Holland MAT 3505 (MS1209); Case MS 1206, 1207, 1210; Caterpillar TO-2; Allison C4

20 l | A: 0557486

200 l | A: 0557487

GEAR OIL

PŘEVODOVÝ OLEJ



GL-4 80W90

API: GL-4; SAE: 80W90; Mercedes Benz 235.1; MIL-L-2105; MAN 341 Type Z2 MAN 341 Type E1 ZF TE-ML 02A, 16A, 17A, 19A

5 l | A: 0552366

20 l | A: 0552358

200 l | A: 0552370

ATF II D

SAE: Dexron II D; VOITH G607, VOITH H.55.6335.3x; MAN 339 typ D, MAN 339 typ Z-1, MAN 339 typ V-1; ZF TE-ML 02F, 03D, 04D, 14A, 17C; Allison C4; Ford Mercon

1 l | A: 0205908

5 l | A: 0552286

20 l | A: 0552281

200 l | A: 0552282

ATF III H SEMI-SYNTHETIC

SAE: DEXRON III H (SPEC. NIA WYMAGANIA DEXRON III G, III F, II E, II D); FORD MERCON; CATERPILLAR TO-2; ALLISON C4, ALLISON TES 389; M2C138-CJ, M2C166-H; MB 236.1; ZF TE-ML 02F, 03D, 04D, 14B, 16L, 17C; VOITH G.607, VOITH H 55.6336.43

1 l | A: 0105379

5 l | A: 0552308

20 l | A: 0079719

200 l | A: 0552332

GL-5 80W90

API: GL-4/GL-5; SAE: 80W90; MAN: 341 Type E2; A 341 Type Z2; MAN: 342 Type M2; ZF TE-ML 02B; 05A; 12L; 16B; 17B; 19B; 21A; Scania STO 1.0; Mercedes Benz 235.0; DAF, Iveco, Volvo

20 l | A: 0557387

200 l | A: 0557390

GL-5 75W80 SEMI-SYNTHETIC

API: GL-5/GL-4; SAE: 75W80; MAN: 341 Type Z4, MAN: 341 Type E3; ZF TE-ML 02L/16K; DAF; Iveco; Renault; Volvo

20 l | A: 0557341

200 l | A: 0557341

GL-5 75W90 SEMI-SYNTHETIC

API: GL-5; SAE: 75W90; MAN: 341 Type E3, MAN: 341 Type Z2, MAN: 342 Type M3; ZF TE-ML 02B; 05B; 12B; 12E; 16F; 17B; 19C; 21B; Scania STO 1.0; Mercedes Benz 235.8

5 l | A: 0557348

20 l | A: 0557377

200 l | A: 0557380

ENGINE OIL

MOTOROVÝ OLEJ

ENERGY STRONG 10W40 LS

SAE: 10W40; API: CK-4 / CJ-4 / CI-4 / CH-4 / SL; ACEA: E4/E6/E7/E9; MAN M3477, M3775, M3271-1; MB 228.52, MB 228.51, MB 228.31; Volvo VDS-4.5; Renault VI RLD-4/RLD-3; Scania LA; Mack EOS-4.5; MTU Type 3.1, Type 2.1; Deutz DQC-IV-18 LA; Detroit Diesel 93K222; Cummins CES 20086, CES 20081; Caterpillar ECF-3; DAF, JASO DH-2-17

5 l | A: 0557463

20 l | A: 0237162

200 l | A: 0237161

ENERGY STRONG 15W40 SHPD

SAE: 15W40; API: CI-4 / CH-4 / CG-4 / CF / SL; ACEA: E7/E5, A3/B4; MB 228.3; MAN M 3275; Volvo VDS-3; MTU type 2

5 l | A: 0557478

20 l | A: 0237163

200 l | A: 0237160

ENERGY STRONG 5W30 LS

API: CJ-4/CI-4/CH-4/SL; ACEA: E9/E6/E7; SAE: 5W/30; MAN: M 3477/3575/3271-1; MB: 228.51/228.31; Volvo: VDS-4; Mack: EO-O Premium Plus; Renault: VI RLD-3; Cummins: CES 20081; MTU: Oil Category 3.1; Deutz: DQC-IV-10LA; Caterpillar: ECF-3

20 l | A: 0557464

200 l | A: 0557465

ENGINE-GEAR- HYDRAULIC OIL

MOTOROVÝ PŘEVODOVÝ HYDRAULICKÝ OLEJ

STOU 10W30 AGRI/CONSTRUCTION

SAE: 10W30; API: CG-4; API: GL-4; ACEA: E3; PN-ISO 11158 HV, DIN 51 524 cz.3 HVLP; John Deere J27; Massey Ferguson CMS M1139, M1144, M1145; Ford M2C 159 B, M2C 134D; ZF TE-ML 06A, 06B, 06C, 07B; New Holland 82009201/2/3, NH 030 C; CNH MAT 3525, CNH; MAT 3526 Caterpillar TO-2; MB: 227.1

20 l | A: 0557480